

Weatherization Health and Safety Workslope

Bid To: Multi-Purpose Community Action Agency  
207 Washington Street  
P.O. Box 305  
Shelbyville, Ky 40066-0305

Contact: Chris Childers 606-545-3108 [chris@cumberlandenergy.net](mailto:chris@cumberlandenergy.net)

Project: Shalom Towers  
3650 Dutchmans Lane  
Louisville, Ky 40205

All work must be performed in accordance with National Renewable Energy Laboratory Standard Work Specifications. SWS can be found at [sws.nrel.gov](http://sws.nrel.gov)

SWS 6.0202.1  
SWS 2.0101.2  
SWS 2.0102.1

A. Health and Safety Dryer Venting

Four Clothes Dryers are located in the third floor Laundry Room. They are Commonly Vented. Install correct hard pipe and clean-out tee on each appliance and vent to outside of building.

Material\_\_\_\_\_

Labor\_\_\_\_\_

Total\_\_\_\_\_

B. Health and Safety-Smoke Detectors

Install New Smoke Detectors with 10 year lithium batteries per the SWS and manufactures specifications.

Approx. 367 Total

Material\_\_\_\_\_

Labor\_\_\_\_\_

Total\_\_\_\_\_

C. Install new Co Detector. Co Detector must have digital display and alarm at 10 PPM. Install in compliance to the SWS and the manufactures specifications. Co Detectors are needed within each residential unit and a minimum of two per hallway.

183 Total

Material\_\_\_\_\_

Labor\_\_\_\_\_

Total\_\_\_\_\_